VAN TUNEN

725



Rather have the digital version? Go to: WWW.VANTUNEN.NL/RENTAL

ARTICULATED DUMPTRUCK

RATED PAYLOAD ± 26 TONS

EMPTY WEIGHT ± 22.2 TONS

CAT

OVERVIEW

The CAT 725 offers proven reliability and durability, high performance, low fuel consumption, operator comfort and low operating costs. With it's integrated power train it has more power and greater performance to do more work.

PORTFOLIO





Working at: all over the world.

FACTS & FIGURES



GENERAL INFORMATION



INFO	SPECS
Engine power	230KW
Body capacity	17.5 heaped m³
Fuel consumption	± 13-18 ltr/hr
Production	Contact us

SHIPPING INFORMATION



SPECS
: 3.5m
: 10.5m
: 2.9m
22.2 tons


SPECIALTIES




- · Technical Support Van Tunen
- Production increase: various options possible like body extension/ side extension etc.
- W&T
 - Rockliners
 - Clavliners
 - Body heating
- Configuration options:
 - Bare frame, Blockframe, Flatbed
 - Waterwagon, Fuelwagon
 - Swamp-, Rock-, Sand tyres

DIMENSIONS

All dimensions are approximate.



	mm	ft/in
1	6306	20'8"
2	2725	8'11"
3	558	1'10"
4	5696	18'8"
5*	5335	17'6"
6	539	1'9"
7	1556	5'1"
8	1700	5'7"
9	3979	13'1"
10	3210	10'6"



^{*}Inside of body

**With tailgate

***Over free width of tire

***Over fender

SAFETY FIRST - QHSE



Product Safety has been and continues to be proactive in developing machines that meet or exceed safety standards. Safety is an integral part of all machines and system designs.

FOCUS ON OHSE

- · Rotating strobe / flash light
- · 3-points of contact access
- Back-up alarms with camera
- Flagman

SAFETY FEATURES

- Cab integral ROPS (Roll Over Protection System) and FOPS (Falling Object Protection System)
- Rear view camera system provides a continuous panoramic rear view or when reverse gear is selected
- The secondary and parking brake functions are spring applied and hydraulic released
- Electro-hydraulic secondary steering system, automatically activates in forward/reverse or when stationary if low pressure is sensed. Can be manually selected for machine recovery purposes
- External engine fuel cut off switch for easy access from outside of the machine
- External electrical system disconnect switch for easy access from outside of the machine
- · Slip resistant surfaces punched steel plate
- 75 mm (3 in) wide seat belts for operator/trainer and passenger
- · Wide angled mirrors for excellent rear visibility
- Sweeping hood design for panoramic forward visibility
- · Extensive hand rails
- Body raised alarm
- · Xenon flashing beacon



REQUIRE THIS MACHINE FOR YOUR PROJECT?

Please contact us for a competitive quotation or for further information about our customized solutions. Feel free to give us a call +31 251 26 44 44, send us an e-mail info@vantunen.nl

Experts in coastal development, earthmoving, rock works and mining

Van Tunen provides worldwide rental of heavy earthmoving equipment and technical project support services for the dredging, earthmoving and mining industry as well as the maritime sector. From harbour improvement to coastal protection, from pipeline works to demolition, depend on our team for solid advice, made-to-measure solutions and prompt support.

Get to know us, please visit: www.vantunen.nl

