

AUXILIARIES

# VAN TUNEN SUPPORT



Rather have the digital version? Go to:

[WWW.VANTUNEN.NL/RENTAL](http://WWW.VANTUNEN.NL/RENTAL)

## CUSTOMIZED CONVEYORBELTS



# OVERVIEW

## Engineered for performance, designed for comfort, built to last

For a lot of our clients and projects we have customized all kind of equipment. Especially regarding bulk materials, recycling and production industries a wide variety of materials is handled, transshipped and transported every day. Of course safety, production and low costs are the key parameters for a successful project. As Van Tunen we always challenge ourselves to offer our client's our innovative and best of approach equipment.

Besides these solutions, we offer our (Technical) Support to assist our client's during their entire project.

## PORTFOLIO



## VAN TUNEN CUSTOMIZED CONVEYORBELTS 22M



### SPECIALTIES

- Technical Support Van Tunen
- Customize to your project needs, a.o. extended lengths
- A-frame available
- AC - comfort
- Safety valves on boom
- Hopper feeder 10m<sup>3</sup>



## FACTS & FIGURES

### GENERAL INFORMATION



INFO	SPECS
Max. Discharge height	5.9m
Width of tracks	0.9m
Max. Discharge Capacity	4000ton/hr
Max. Conveyor load	400 kg/m <sup>2</sup>
Max. Conveyor load	770 ltr


### SHIPPING INFORMATION



SHIPPING DIMENSIONS	EXCAVATOR CAT	CONVEYORBELT
Shipping height	3.5m	2.35m
Shipping length	7.5m	22.3m
Shipping width	3.6m	2.8m
Ground clearance	0.46m	N/A
Ground pressure	0.70kg/cm <sup>2</sup>	Incl.
Weight	40tons	18tons

### DIMENSIONS

All dimensions are approximate.



## VAN TUNEN CUSTOMIZED CONVEYORBELTS 25M



### SPECIALTIES

- Technical Support Van Tunen
- Customize to your project needs, a.o. extended lengths
- A-frame available
- Safety valves on boom
- Hopper feeder 18m<sup>3</sup>



## FACTS & FIGURES

### GENERAL INFORMATION



INFO	SPECS
Max. Discharge height	12.5m
Width of tracks	3.5m
Max. Discharge Capacity	1000 ton/hr
Max. Conveyor load	400 kg/m <sup>2</sup>
Max. Conveyor load	770 ttr


### SHIPPING INFORMATION



SHIPPING DIMENSIONS	EXCAVATOR CAT	CONVEYORBELT
Shipping height	3.5m	2.35m
Shipping length	7.5m	22.3m
Shipping width	3.6m	2.8m
Ground clearance	0.46m	N/A
Ground pressure	0.70kg/cm <sup>2</sup>	Incl.
Weight	80tons	17tons

### DIMENSIONS

All dimensions are approximate.



## VAN TUNEN CUSTOMIZED CONVEYORBELTS 40.3M




### SPECIALTIES

- Technical Support Van Tunen
- Customize to your project needs, a.o. extended lengths
- A-frame available
- AC - comfort
- Overpressure cabin
- Safety valves on boom
- Hopper feeder 2m<sup>3</sup>



### DIMENSIONS

All dimensions are approximate.



## FACTS & FIGURES

### GENERAL INFORMATION



INFO	SPECS
Max. Discharge height	17.5m
Width of tracks	3.0m
Max. Discharge Capacity	2000ton/hr
Max. Conveyor load	400 kg/m <sup>2</sup>
Max. Conveyor load	770 ttr

### SHIPPING INFORMATION



SHIPPING DIMENSIONS	EXCAVATOR CAT	CONVEYORBELT
Shipping height	3.7m	2.60m
Shipping length	8.3m	42.0m
Shipping width	4.15m	2.5m
Ground clearance	0.55m	N/A
Ground pressure	0.90kg/cm <sup>2</sup>	Incl.
Weight	59tons	29tons





### REQUIRE THIS MACHINE FOR YOUR PROJECT?

Please contact us for a competitive quotation or for further information about our customized solutions. Feel free to give us a call **+31 251 26 44 44**, send us an e-mail **info@vantunen.nl** or visit **www.vantunen.nl**

# Experts in coastal development, earthmoving, rock works and mining

Van Tunen provides worldwide rental of heavy earthmoving equipment and technical project support services for the dredging, earthmoving and mining industry as well as the maritime sector. From harbour improvement to coastal protection, from pipeline works to demolition, depend on our team for solid advice, made-to-measure solutions and prompt support.

Get to know us, please visit:

[www.vantunen.nl](http://www.vantunen.nl)



#### Contact us

+31 251 26 44 44  
[info@vantunen.nl](mailto:info@vantunen.nl)  
[www.vantunen.nl](http://www.vantunen.nl)

#### Visit us

Zuiderkade 9  
1948 NG Beverwijk  
The Netherlands

#### About us

Registration nr. 34056786  
VAT nr. NL00 706 8797 B01